

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 1, 12</u>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack S04)

VISIBLE EMISSION NOTATIONS

Inspector:	RICK PALOMO
Date of Inspection:	12/1/12
Shift: 1 st Shift or 2 nd Shift	1 st Time: 5:00 AM

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Ted Compton</i>
Date of Inspection: <i>12/2/12</i>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <i>5:00 PM</i>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	_____
Visible Emission From Discharge Conveyor System	<i>Nor</i>	_____

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smeltz</u>
Date of Inspection: <u>Dec 18, 12</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>500</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>nor</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>nor</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	RICK PALOMO	
Date of Inspection:	12/3/12	
Shift: 1 st Shift or 2 nd Shift	2 nd	Time: 5:00AM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 3, 12</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 4, 12</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	—
Visible Emission From Discharge Conveyor System	<u>NOR</u>	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: RICK PALOMO
Date of Inspection: 12/5/12
Shift: 1 st Shift or 2 nd Shift 2nd Time: 5:00AM

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	RICK PALOMO
Date of Inspection:	12/5/12
Shift: 1 st Shift or 2 nd Shift	2 nd Time: 5:00 AM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smellko	
Date of Inspection:	Dec 5, 12	
Shift:	<u>1st</u> Shift or 2 nd Shift	Time: 5:00

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	nor	-
Visible Emission From Discharge Conveyor System	nor	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Rick PALOMO		
Date of Inspection: 12/6/12		
Shift: 1 st Shift or 2 nd Shift 2nd Time: 5:00AM		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Smelko
Date of Inspection: Dec 6, 12
Shift: 1 st Shift or 2 nd Shift Time:

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	NOR	
Visible Emission From Discharge Conveyor System	NOR	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Dec 7, 12	
Shift:	1 st Shift or 2 nd Shift	Time: 500

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	RICK PALOMO
Date of Inspection:	12/8/12
Shift: 1 st Shift or 2 nd Shift	1st Time: 5:00AM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>R Long</i>
Date of Inspection: <i>12/8/12</i>
Shift: 1 st Shift or <i>2nd</i> Shift Time: _____

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOR</i>	
Visible Emission From Discharge Conveyor System	<i>NOR</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>SmelKO</u>
Date of Inspection: <u>Dec 9, 12</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>3:00</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Rick PALOMO	
Date of Inspection:	12/10/12	
Shift: 1 st Shift or 2 nd Shift	2 nd	Time: 5:00AM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: RICK PALOMC
Date of Inspection: 12/10/12
Shift: 1 st Shift <input checked="" type="radio"/> or 2 nd Shift 2nd Time: 5:00AM

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	NOR	_____
Visible Emission From Discharge Conveyor System	NOR	_____

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 11, 12</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>nor</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>nor</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

VISIBLE EMISSION NOTATIONS

Inspector:
Date of Inspection:
Shift: 1 st Shift or 2 nd Shift Time:

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker		
Visible Emission From Discharge Conveyor System		

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: RICK PALOMO		
Date of Inspection: 12/12/12		
Shift: 1 st Shift or 2 nd Shift 2nd Time: 5:00AM		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

VISIBLE EMISSION NOTATIONS

Inspector:	Smellko	
Date of Inspection:	Dec 12 12	
Shift:	1 st Shift or 2 nd Shift	Time: 5:00

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>RICK TALONE</u>		
Date of Inspection: <u>12/13/12</u>		
Shift: 1 st Shift or 2 nd Shift	<u>2nd</u>	Time: <u>5:00AM</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	RICK PALOMO
Date of Inspection:	12/14/12
Shift: 1 st Shift or 2 nd Shift	2nd Time: 5:00AM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Day
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Rick PALOMO		
Date of Inspection: 12/15/12		
Shift: 1 st Shift or 2 nd Shift 1st Time: 5:00 PM		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:		
Date of Inspection:		
Shift: 1 st Shift or 2 nd Shift Time:		
Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	Nor	
Visible Emission From Discharge Conveyor System	Nor	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Darren B. Caldwell</u>		
Date of Inspection: <u>12/16/12</u>		
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>5:30 p.m.</u>		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>Normal</u>	<u>—</u>
Visible Emission From Discharge Conveyor System	<u>Normal</u>	<u>—</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Rock Malone</u>		
Date of Inspection: <u>12/17/12</u>		
Shift: 1 st Shift or 2 nd Shift <u>2nd</u> Time: <u>5:00AM</u>		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>—</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>—</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Dec 17, 12	
Shift:	1 st Shift or 2 nd Shift	Time: 500

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Rick PALOMO		
Date of Inspection: 12/18/12		
Shift: 1 st Shift or 2 nd Shift 2nd Time: 5:00AM		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Rick PALOMO	
Date of Inspection:	12/19/12	
Shift: 1 st Shift or 2 nd Shift	2 nd	Time: 5:00AM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smellko</u>
Date of Inspection: <u>Dec 19, 12</u>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>nor</u>	-
Visible Emission From Discharge Conveyor System	<u>nor</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 20, 12</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Rick PALOMO	
Date of Inspection:	12/20/12	
Shift: 1 st Shift or 2 nd Shift	2 nd	Time: 5:00AM

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>RICK PALOME</u>		
Date of Inspection: <u>12/21/12</u>		
Shift: 1 st Shift or 2 nd Shift <u>2nd</u> Time: <u>5:00AM</u>		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>—</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>—</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 26 12</u>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smellko</u>
Date of Inspection: <u>Dec 26, 12</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	SmellCo
Date of Inspection:	Dec 27, 12
Shift: 1 st Shift or 2 nd Shift	Time: 5:00

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 28, 12</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: _____

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	RICK PALOMO
Date of Inspection:	12/28/12
Shift: 1 st Shift or 2 nd Shift	2 nd Time: 5:00 AM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift

(Stack S S 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Ted Compton		
Date of Inspection:	12/29/12		
Shift:	1 st Shift or	2 nd Shift	Time: 500 PM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Nor	
Visible Emission From Discharge Conveyor System	Nor	

- **Visible inspection** must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Stagner
Date of Inspection:	12/30/12
Shift: 1 st Shift or 2 nd Shift	Time: @ 0600

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NAL	—
Visible Emission From Discharge Conveyor System	NAL	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>SmellCO</u>
Date of Inspection: <u>Dec 30, 12</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smeltz</u>		
Date of Inspection: <u>Dec 31, 12</u>		
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>500</u>		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.